



SAFETY DATA SHEET INFORMATION

For further information: Please refer to the Safety Data Sheet following

Issue: March 24

PRODUCT: Lime Render

Other Names: Architectural, construction, heritage render

Uses: Architectural, construction, heritage

UN No.:	NR
Dangerous Goods Class:	NR
Subsidiary Risk:	None
Packing Group:	NR
Hazchem Code:	NR
SUSMP Schedule:	NR

Hazardous Nature:	This product is not classified as hazardous under the SafeWork Australia criteria
Exposure Standards:	TWA: None specified; consider 5 g/m ³ ; STEL: None specified; consider 5 g/m ³ ; Peak Limitation (if any): None; Skin Sensitiser (if any): none. Refer to Section 8 for further information and definitions.

Physical Characteristics (Typical) Section 9 of the SDS

Appearance	Opaque paste
Boiling Point/Range (°C):	Not determined
Flash Point (°C):	Not determined
Specific Gravity/Density (g/ml @ 15°C):	Not determined
pH:	pH 10+
Chemical Stability:	Stable at room temperature and pressure

Product Ingredients Section 3 of the SDS

Ingredient	CAS Number	Proportion
Calcium hydroxide	1305-62-0	15-25
Calcium carbonate	1317-65-3	15-25
Silica Sand	Various	50
Water	7732-18-5	to 100

For further ingredients information, please refer to the full SDS

Risk Phrases Section 2 of the SDS

GHS signal word: DANGER
Skin corrosion/Irritation Category 2

DEFINITIONS

Dangerous Goods	Products that are regulated for transport under the UN International guidelines are classified as Dangerous Goods. Products can be classified by their physical characteristics and may have only one Dangerous Goods designation, although may have a subsidiary risk. These products may be Dangerous Goods for transport by Air and Sea, but may not be classed as Dangerous Goods by Road and Rail in Australia. Refer to the Australian Code for Transport of Dangerous Goods by Road and Rail (ADG) for more information.
-----------------	---

SUMMARY INFORMATION ONLY



Hazardous Substances	Hazardous Substances are those products that are intrinsically hazardous by virtue of their chemical nature, rather than as a condition of their misuse. These hazards include mutagens, teratogens, carcinogens, and products that are harmful or irritant in nature. These products may or may not carry a Dangerous Goods classification.
Poisons	Poisons are products that are regulated by the dose or exposure, often having physical and chemical effects at certain concentrations particular to the nature of the product. The associated warnings, cautions and First Aid instruction are prescriptive under the regulation in Australia.

1. IDENTIFICATION

Product Name:	Lime Render
Other Names:	Architectural and construction repairs
Chemical Family:	Lime
Molecular Formula:	Not available
Recommended Use:	Architectural, construction, heritage
Supplier:	Peter Lewis Paints Pty Ltd.
ABN:	33 646 548 432
Address:	3 Muriel Avenue, Rydalmere NSW 2116
Telephone:	+61 411 592 000
Fax:	+61 2 9684 1864
Emergency Phone:	+61 2 9638 0568
All other inquiries:	+61 411 592 000

2. HAZARDS IDENTIFICATION

Hazard Classification

This product is not classified as hazardous under the SafeWork Australia criteria

Hazard Category



Risk Phrases

GHS signal word: DANGER

Skin corrosion/Irritation Category 2

Serious eye damage/eye irritation Category 1

Hazard Statement

H315: Causes skin irritation

H318: Causes serious eye damage

Prevention

P261: Avoid breathing dust.

P262: Do not get in eyes, on skin, or on clothing

P264: Wash contacted areas thoroughly after handling

P280: Wear protective gloves, protective clothing and eye or face protection

Response

P335: Brush off loose particles from skin

P362: Take off contaminated clothing and wash before reuse

P301+P330+P331: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

P305+P352: IF ON SKIN: Wash with plenty of soap and water



P305+P351+P388: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs, get medical advice

STORAGE

P410: Protect from sunlight

P402+P404: Store in a dry place. Store in a closed container

P403+P235: Store in a well-ventilated place. Keep cool

DISPOSAL

P501: If they cannot be recycled, dispose of contents to an approved waste disposal plant and containers to landfill.

Dangerous Goods Classification None allocated

Poisons Schedule None allocated

3. COMPOSITION: Information on Ingredients

Chemical Ingredient	CAS Number	Proportion (% v/w)
Calcium Hydroxide	1305-62-0	15-25
Calcium Carbonate	1317-65-3	15-25
Silica Sand	Various	50
Water	7732-18-5	to 100

4. FIRST AID MEASURES

For advice, contact Poisons Information Centre (Phone Australia: 13 1126) or a doctor.

Ingestion

If swallowed, DO NOT induce vomiting. Keep at rest, give water, wash mouth. Seek immediate medical attention.

Eye Contact

Flush eyes with large amounts of water until irritation subsides. Seek immediate medical attention.

Skin Contact

If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Inhalation

Treat according to symptoms. Avoid becoming a casualty.

First Aid Facilities

Treat according to symptoms.

Medical Attention

Treat according to symptoms.

5. FIRE FIGHTING MEASURES

Shut off product that may 'fuel' a fire if safe to do so. Allow trained personnel to attend a fire in progress providing fire fighters with this Material Safety Data Sheet. Prevent extinguishing media from escaping to drains and waterways.

Suitable Extinguishing Media

Not combustible. Water spray, fine mist, dry chemical or foam. Do not use water jets.



Hazards from combustion products

This product will not burn, toxic gasses not expected to be released with excessive heating

Precautions for fire fighters and special protective equipment

No special equipment needed.

Hazchem Code

NR

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Prevent product from escaping to drains and waterways. Contain leaking packaging in a containment drum. Prevent vapours or dusts from building up in confined areas. Ensure that drain valves are closed at all times. Clean up and report spills immediately.

Methods and materials for containment

Major Land Spill

- Eliminate sources of ignition.
- Warn occupants of downwind areas of possible fire and explosion hazard, where present.
- Prevent product from entering sewers, watercourses, or low-lying areas.
- Keep the public away from the area.
- Shut off the source of the spill if possible and safe to do so.
- Advise authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation.
- Take measures to minimise the effect on the ground water.
- Contain the spilled product using the resources in the spill kit.
- Recover by pumping – use explosion proof pump or hand pump – or with a suitable absorbent material.
- Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
- See “First Aid Measures” and “Stability and Reactivity”

Major Water Spill

- Eliminate any sources of ignition.
- Warn occupants and shipping in downwind areas of possible fire and explosion hazard, where present.
- Notify the port or relevant authority and keep the public away from the area.
- Shut off the source of the spill if possible and safe to do so.
- Confine the spill if possible.
- Remove the product from the surface by skimming or with suitable absorbent material.
- Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
- See “First Aid Measures” and “Stability and Reactivity”.

7. HANDLING AND STORAGE

Precautions for Safe Handling

This product can become dusty, risking combustion hazard with an ignition source. Keep container closed when not in use. Wear appropriate PPE to avoid inhalation, skin and eye contact.

Conditions for Safe Storage

Store in a cool, dry place away from direct sunlight. Protect containers from physical damage and check regularly for leaks. Avoid release to the environment, store in banded areas and ensure exit drains are closed.

Incompatible Materials

Strong acids

8. EXPOSURE CONTROLS: PERSONAL PROTECTION



National Exposure Standards

The time weighted average concentration (TWA) for this product is: None specified; consider 5 g/m³, which means the highest allowable exposure concentration in an eight-hour day for a five-day working week. The short term exposure limit (STEL) is: None specified; consider 5 g/m³, which is the maximum allowable exposure concentration at any time. Replacing a TWA or STEL value for some products is a Peak Limitation value (Peak): None applies in this case. In addition to the exposure concentrations may be a subsidiary caution in such cases where the product is a skin sensitiser, represented as (Sen), where none applies in this case.

Biological Limit Values (BLV)

None specified

Engineering Controls: Ventilation

The use of local exhaust ventilation is recommended to control process emissions near the source. Laboratory samples should be handled in a fume hood. Provide mechanical ventilation of confined spaces. Use explosion proof equipment.

Personal Protective Equipment

Respiratory Protection: Where concentrations in air may approach or exceed the limits described in the National Exposure Standards, it is recommended to use a half-face filter mask to protect from overexposure by inhalation. A type 'A' filter material is considered suitable for this product.

Eye Protection: Always use safety glasses or a face shield when handling this product.

Skin/Body Protection: Always wear long sleeves, long trousers, or coveralls, and enclosed footwear or safety boots when handling this product. It is recommended that chemical resistant gloves be worn when handling this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Property	Unit of measurement	Typical Value
Appearance	None	Paste
Boiling Point/Range	°C	Not determined
Flash Point	°C	Will not burn
SG/Density (@ 15°C)	g/ml; kgm ³	Not determined
Vapour Pressure @ 20°C	kPa	Not determined
Vapour Density @ 20°C	g/ml; kgm ³	Not determined
Autoignition Temperature	°C	Not determined
Explosive Limits in Air	% vol/vol	Will not burn
Viscosity @ 20°C	cPs, mPas	Pasty
Percent volatiles	% vol/vol	Not determined
Acidity/alkalinity as pH	None	pH 10+
Solubility in Water	g/l	No data
Other solvents	-	No data

The values listed are indicative of this product's physical and chemical properties. For a full product specification, please consult the Technical Data Sheet.

10. STABILITY AND REACTIVITY

Chemical stability

Stable at room temperature and pressure



Conditions to avoid

Strong acids, excessive heat

Hazardous decomposition products

No significant quantities. Calcium products

Hazardous reactions

No known hazardous reactions

Hazardous polymerisation

Will not occur

11. TOXICOLOGICAL INFORMATION

Acute Effects

Ingestion

This product is likely to cause discomfort on swallowing and may result in gastric disturbance and soft tissue irritation.

Eye Contact

Eye contact with this product may cause redness and swelling with a burning sensation and blurred vision. The severe temporary effects can be reversed with immediate first aid.

Skin Contact

Contact with this product can result in mild irritations evidenced by swelling, redness, and dryness of the affected area.

Inhalation

Vapours at elevated temperatures may cause dizziness and drowsiness. Vapours at room temperature should be controlled through adequate (do not use in confined spaces) or mechanical ventilation.

Chronic Effects

Repeated or prolonged contact with this product may result in irritant contact dermatitis if PPE precautions are not observed.

Other Health Effects Information

Persons with pre-existing skin conditions will be sensitive to this product.

Toxicological Information

Oral LD₅₀: No data; consider > 5 g/kg

Dermal LD₅₀: No data; consider > 5 g/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Toxicity:

Fish Toxicity LC ₅₀ :	This product is probably not harmful to the aquatic environment
Daphnia Magna EC ₅₀ :	This product is probably not harmful to the aquatic environment
Blue-green algae:	This product is probably not harmful to aquatic plant life.
Green algae:	This product is probably not harmful to aquatic plant life.

Persistence/Biodegradability: Information not available

Mobility: Information not available



13. DISPOSAL CONSIDERATIONS

Disposal Methods

Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Care should be taken to ensure compliance with national and local authorities. Packaging may still contain product residue that may be harmful. Ensure that empty packaging is managed in accordance with Dangerous Goods regulations.

Special Precautions

This product is not suitable for disposal by either landfill or via municipal sewers, drains, natural streams or rivers. This product should be treated and disposed through chemical waste treatment, or considered for use in recycling.

14. TRANSPORT INFORMATION

Road and Rail Transport		Marine Transport		Air Transport	
UN No.	NR	UN No.	NR	UN No.	NR
Proper Shipping Name	Paint & Paint related materials	Proper Shipping Name	Paint & Paint related materials	Proper Shipping Name	Paint & Paint related materials
DG Class	NR	DG Class	NR	DG Class	NR
Sub. Risk	None	Sub. Risk	None	Sub. Risk	None
Packing Group	NR	Packing Group	NR	Packing Group	NR
Hazchem	NR	Hazchem	NR	Hazchem	NR

Dangerous Goods Segregation

This product is not regulated for Transport via Road and Rail.

15. REGULATORY INFORMATION

Country/Region: Australia

Inventory: AICS

Status: Listed

Poisons Schedule: NR

16. OTHER INFORMATION

Reasons for Issue: New manufacturer information; changes and updates in multiple sections.

Abbreviations:

AICS: Australian Inventory of Chemical Substances

CAS Number: Chemical Abstracts Number

IARC: International Agency for Research on Cancer

ASCC: Australian Safety and Compensation Council (2007)

PPE: Personal Protective Equipment

N/R: Non-regulated

N/A: Not applicable

References:

- Supplier Material Safety Data Sheets
- <http://hsis.ascc.gov.au/SearchHS.aspx> (March 24)
- Animal toxicology data: <http://chem.sis.nlm.nih.gov/chemidplus> (March 24)
- Ecotoxicology data: http://cfpub.epa.gov/ecotox/quick_query.htm (March 24)



- ♦ *Sax's Dangerous Properties of Industrial Materials*, Richard J Lewis Snr., pub. Canada (2005)

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writer's knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses, but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product. For further information, please contact Peter Lewis Paints Pty Ltd.
